

Author Index

- Aernoudt, E. J., 229, 239
Altounian, Z., L9
Asako, H., 261
- Bai, L., 123
Banerjee, A., 89
Barr, T. L., 213
Boey, F. Y. C., 13
Bourell, D. L., 99
Brittain, J. O., 129
Byrne, J. G., 169, 181
- Cauwenberg, S., 229, 239
Chatterjee, A., 69
Chattopadhyay, K., 247
Chen, H., 21
Chen, S., 145
Chou, C.-C., 21
Cosgrove, G. J., 39
- Delaey, L., 229, 239
Deng, W. M., 159
Dunlap, R. A., 33
- Farag, M. M., 271
- Galgali, R. K., 75
Gránásy, L., L5
Gumaste, J. L., 75
- Hassaan, M. Y., 153
He, Y. D., 159
Holroyd, N. J. H., 219
Hsueh, C.-H., 1
Huang, W., 53
- Karthikeyan, J., 141
Kim, Y. G., 255
- Kim, Y. W., 99
King, A. H., 39
Knorr, D. B., 81
Kong, Q. P., 207
Krawitz, A. D., L1
- Laird, C., 159
Lawther, D. W., 33
Lei, J.-F., 129
Lewandowski, J. J., 219
Li, J. C. M., 201
Liu, Y., 213
Lloyd, D. J., 33
Lou, H., 123
- Ma, B. T., 159
Ma, G., 193
Ma, X. Q., 159
Majumdar, B. S., 89
Majumdar, S., L1
McQueen, H. J., 229, 239
Miyamoto, Y., 261
Mohanty, B. C., 75
Muir, W. B., L12
Murakami, K., 261
- Nayak, B. B., 75
Ni, Q. H., 207
- Okamoto, T., 261
Okimura, H., 129
- Park, C. N., 255
Persad, C., 99
Piatti, G., 271
- Radin, A. L., 159
Raman, S., 89
- Ranganathan, S., 247
Reed, L. K., 69
Rohatgi, P. K., 89, 213
Rohatgi, V. K., 141
Russek, K., 59
- Shen, P., 145
Shim, I.-O., 169, 181
Singh, S. K., 75
Spitzig, W. A., 69
Stojanova, L., 59
Stoloff, N. S., 81
Swamy, V. T., 247
Syamaprasad, U., 75
- Teoh, S. H., 13
- Verlinden, B., 229, 239
- Walser, B., 45
Wang, F., 123
Wang, W., 193
Wang, X., 207
Wayman, C. M., 21
Wittenauer, J., 45
Wouters, P., 229, 239
- Xu, Y., L12
- Yin, M., 213
Yu, W. P., 159
- Zhang, T.-Y., 201
Zhang, W. Q., 159
Zhou, H., 207
Zhu, R. Z., 159



Subject Index

Adsorption

adsorption, surface energy and the driving force for the migration of grain boundaries in substitutional alloys, 39

Aging

intergranular fracture of Al–Li alloys: effects of aging and impurities, 219

Alloys

adsorption, surface energy and the driving force for the migration of grain boundaries in substitutional alloys, 39

cyclic creep behaviour of a nickel base alloy, 207

effect of different homogenization treatments on the hot workability of aluminium alloy AA2024, 229

effect of homogenization and precipitation treatments on the hot workability of an aluminium alloy AA2024, 239

Guinier–Preston zones in Au–Fe alloys, 21

high energy, high rate powder processing of a rapidly quenched quaternary alloy, $\text{Ni}_{56.5}\text{Mo}_{23.5}\text{Fe}_{10}\text{B}_{10}$, 99

intergranular fracture of Al–Li alloys: effects of aging and impurities, 219

mechanical properties and microstructure of a rapidly solidified Al–3.99Cu–2.34Li–0.21Zr alloy, 193

microstructure and mechanical properties of rapidly solidified deposited layers of Fe–C–Cr alloys produced by low pressure plasma spraying, 261

nature of metastable phase formation in the microsecond pulsed laser-melted pool of Al–Ge eutectic alloy, 247

precise relative quench rate determination in rapidly quenched Nd–Fe–B alloys, L9

surface-analytical study of tribodeformed aluminum alloy 319–10 vol.% graphite particle composite, 213

surface segregation effects on sputtering of Au–Ag alloy, 53

viscous flow of $\text{Fe}_{82}\text{B}_{18}$ amorphous alloy under continuous heating conditions, 59

Alumina

solid state reaction kinetics in the alumina–slag system, 141

Aluminium

effect of different homogenization treatments on the hot workability of aluminium alloy AA2024, 229

effect of homogenization and precipitation treatments on the hot workability of an aluminium alloy AA2024, 239

effect of yttrium on the hot-corrosion resistance of sputtered Co–Cr–Al coatings, 123

effects of heat treatment on microstructure and texture in Ti–24at.%Al–11at.%Nb, 81

intergranular fracture of Al–Li alloys: effects of aging and impurities, 219

mechanical properties and microstructure of a rapidly solidified Al–3.99Cu–2.34Li–0.21Zr alloy, 193

nature of metastable phase formation in the microsecond pulsed laser-melted pool of Al–Ge eutectic alloy, 247

surface-analytical study of tribodeformed aluminum alloy 319–10 vol.% graphite particle composite, 213

transition metal site distributions in binary aluminum–transition metal quasicrystals: Al–V and Al–Cr, 33

Aluminizing

aluminized coating and Al–Y and Al–Ce codeposited coatings obtained by metallizing from molten salt films, 159

Bending

bending creep rupture analysis using a non-linear energy criterion approach, 13

Boron

characterization of refined metallurgical silicon with special reference to boron and carbon impurities, 75

precise relative quench rate determination in rapidly quenched Nd–Fe–B alloys, L9

viscous flow of $\text{Fe}_{82}\text{B}_{18}$ amorphous alloy under continuous heating conditions, 59

Carbides

electrical resistance of the group IV transition metal monocarbides and mononitrides in the 20–1000 °C temperature range, 129

Carbon

characterization of refined metallurgical silicon with special reference to boron and carbon impurities, 75

microstructure and mechanical properties of rapidly solidified deposited layers of Fe–C–Cr alloys produced by low pressure plasma spraying, 261

residual thermal stresses and strains in a WC-base cemented carbide composite, L1

Cavitation

superplastic deformation and cavitation of a 14Cr–20Mn stainless steel, 271

Cement clinker

Mössbauer study on the magnetic and thermal behaviour of the ferrite phase of cement clinker, 153

Cerium

aluminized coating and Al–Y and Al–Ce codeposited coatings obtained by metallizing from molten salt films, 159

Chromium

effect of yttrium on the hot-corrosion resistance of sputtered Co–Cr–Al coatings, 123

microstructure and mechanical properties of rapidly solidified deposited layers of Fe–C–Cr alloys produced by low pressure plasma spraying, 261

superplastic deformation and cavitation of a 14Cr–20Mn stainless steel, 271

transition metal site distributions in binary aluminum–transition metal quasicrystals: Al–V and Al–Cr, 33

Cobalt

- effect of yttrium on the hot-corrosion resistance of sputtered Co-Cr-Al coatings, 123
- effects of repeated thermal cyclings on the transformation behaviour, microstructure and mechanical properties in a cobalt-free tungsten-containing maraging steel (W-250), 255

Composites

- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, 1
- residual thermal stresses and strains in a WC-base cemented carbide composite, L1
- surface-analytical study of tribodeformed aluminum alloy 319-10 vol.% graphite particle composite, 213
- ultrasonic techniques in evaluation of metal matrix particulate composites, 89

Copper

- comparison of the low-cycle fatigue properties of heavily cold-drawn copper and Cu-20%Nb, 69
- dependence of fatigue failure mechanism on the cycling history of polycrystalline copper, 159
- mechanical properties and microstructure of a rapidly solidified Al-3.99Cu-2.34Li-0.21Zr alloy, 193

Core traction

- effect of core traction on the image force of a screw dislocation, 201

Corrosion

- effect of yttrium on the hot-corrosion resistance of sputtered Co-Cr-Al coatings, 123

Creep

- bending creep rupture analysis using a non-linear energy criterion approach, 13
- cyclic creep behaviour of a nickel base alloy, 207

Cycling history

- dependence of fatigue failure mechanism on the cycling history of polycrystalline copper, 159

Debonding

- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, 1

Deformation

- superplastic deformation and cavitation of a 14Cr-20Mn stainless steel, 271
- surface-analytical study of tribodeformed aluminum alloy 319-10 vol.% graphite particle composite, 213

Deposition

- aluminized coating and Al-Y and Al-Ce codeposited coatings obtained by metallizing from molten salt films, 159
- microstructure and mechanical properties of rapidly solidified deposited layers of Fe-C-Cr alloys produced by low pressure plasma spraying, 261

Dislocations

- effect of core traction on the image force of a screw dislocation, 201

Driving force

- adsorption, surface energy and the driving force for the migration of grain boundaries in substitutional alloys, 39

Electrical resistance

- electrical resistance of the group IV transition metal monocarbides and mononitrides in the 20-1000 °C temperature range, 129

Embrittlement

- study of hydrogen embrittlement in 4340 steel
 - I: mechanical aspects, 169
 - II: positron aspects, 181

Fatigue

- comparison of the low-cycle fatigue properties of heavily cold-drawn copper and Cu-20%Nb, 69
- dependence of fatigue failure mechanism on the cycling history of polycrystalline copper, 159

Ferrite

- Mössbauer study on the magnetic and thermal behaviour of the ferrite phase of cement clinker, 153

Foils

- processing and properties of titanium foils, 45

Fracture

- intergranular fracture of Al-Li alloys: effects of aging and impurities, 219

Germanium

- nature of metastable phase formation in the microsecond pulsed laser-melted pool of Al-Ge eutectic alloy, 247

Gold

- Guinier-Preston zones in Au-Fe alloys, 21
- surface segregation effects on sputtering of Au-Ag alloy, 53

Grain boundary migration

- adsorption, surface energy and the driving force for the migration of grain boundaries in substitutional alloys, 39

Graphite

- surface-analytical study of tribodeformed aluminum alloy 319-10 vol.% graphite particle composite, 213

Guinier-Preston zones

- Guinier-Preston zones in Au-Fe alloys, 21

Heat treatment

- effects of heat treatment on microstructure and texture in Ti-24at.%Al-11at.%Nb, 81

Homogenization

- effect of different homogenization treatments on the hot workability of aluminium alloy AA2024, 229
- effect of homogenization and precipitation treatments on the hot workability of an aluminium alloy AA2024, 239

Hydrogen

- study of hydrogen embrittlement in 4340 steel
 - I: mechanical aspects, 169
 - II: positron aspects, 181

Impurities

- characterization of refined metallurgical silicon with special reference to boron and carbon impurities, 75
- intergranular fracture of Al-Li alloys: effects of aging and impurities, 219

Iron

- Guinier-Preston zones in Au-Fe alloys, 21
- high energy, high rate powder processing of a rapidly quenched quaternary alloy, Ni_{50.5}Mo_{23.5}Fe₁₀B₁₀, 99
- microstructure and mechanical properties of rapidly solidified deposited layers of Fe-C-Cr alloys produced by low pressure plasma spraying, 261

- precise relative quench rate determination in rapidly quenched Nd-Fe-B alloys, L9
- viscous flow of $\text{Fe}_{82}\text{B}_{18}$ amorphous alloy under continuous heating conditions, 59

Lithium

- intergranular fracture of Al-Li alloys: effects of aging and impurities, 219
- mechanical properties and microstructure of a rapidly solidified Al-3.99Cu-2.34Li-0.21Zr alloy, 193

Low pressure plasma spraying

- microstructure and mechanical properties of rapidly solidified deposited layers of Fe-C-Cr alloys produced by low pressure plasma spraying, 261

Magnetic behaviour

- Mössbauer study on the magnetic and thermal behaviour of the ferrite phase of cement clinker, 153

Manganese

- superplastic deformation and cavitation of a 14Cr-20Mn stainless steel, 271

Maraging steels

- effects of repeated thermal cyclings on the transformation behaviour, microstructure and mechanical properties in a cobalt-free tungsten-containing maraging steel (W-250), 255

Mechanical properties

- effects of repeated thermal cyclings on the transformation behaviour, microstructure and mechanical properties in a cobalt-free tungsten-containing maraging steel (W-250), 255
- mechanical properties and microstructure of a rapidly solidified Al-3.99Cu-2.34Li-0.21Zr alloy, 193
- microstructure and mechanical properties of rapidly solidified deposited layers of Fe-C-Cr alloys produced by low pressure plasma spraying, 261

Melt pools

- nature of metastable phase formation in the microsecond pulsed laser-melted pool of Al-Ge eutectic alloy, 247

Metallizing

- aluminized coating and Al-Y and Al-Ce codeposited coatings obtained by metallizing from molten salt films, 159

Microstructure

- effects of heat treatment on microstructure and texture in Ti-24at.%Al-11at.%Nb, 81
- effects of repeated thermal cyclings on the transformation behaviour, microstructure and mechanical properties in a cobalt-free tungsten-containing maraging steel (W-250), 255
- mechanical properties and microstructure of a rapidly solidified Al-3.99Cu-2.34Li-0.21Zr alloy, 193
- microstructure and mechanical properties of rapidly solidified deposited layers of Fe-C-Cr alloys produced by low pressure plasma spraying, 261

Molten salt films

- aluminized coating and Al-Y and Al-Ce codeposited coatings obtained by metallizing from molten salt films, 159

Molybdenum

- high energy, high rate powder processing of a rapidly quenched quaternary alloy, $\text{Ni}_{56.5}\text{Mo}_{23.5}\text{Fe}_{10}\text{B}_{10}$, 99

Mössbauer spectrometry

- Mössbauer study on the magnetic and thermal behaviour of the ferrite phase of cement clinker, 153

Neodymium

- precise relative quench rate determination in rapidly quenched Nd-Fe-B alloys, L9

Nickel

- cyclic creep behaviour of a nickel base alloy, 207
- high energy, high rate powder processing of a rapidly quenched quaternary alloy, $\text{Ni}_{56.5}\text{Mo}_{23.5}\text{Fe}_{10}\text{B}_{10}$, 99

Niobium

- comparison of the low-cycle fatigue properties of heavily cold-drawn copper and Cu-20%Nb, 69
- effects of heat treatment on microstructure and texture in Ti-24at.%Al-11at.%Nb, 81

Nitrides

- electrical resistance of the group IV transition metal monocarbides and mononitrides in the 20-1000 °C temperature range, 129

Phase formation

- nature of metastable phase formation in the microsecond pulsed laser-melted pool of Al-Ge eutectic alloy, 247

Polymorphic transformation

- polymorphic transformation of t' phase in yttria partially stabilized zirconia, 145

Positrons

- study of hydrogen embrittlement in 4340 steel
- II: positron aspects, 181

Powders

- high energy, high rate powder processing of a rapidly quenched quaternary alloy, $\text{Ni}_{56.5}\text{Mo}_{23.5}\text{Fe}_{10}\text{B}_{10}$, 99

Precipitation

- effect of homogenization and precipitation treatments on the hot workability of an aluminium alloy AA2024, 239

Quasicrystals

- transition metal site distributions in binary aluminum-transition metal quasicrystals: Al-V and Al-Cr, 33

Quenching

- high energy, high rate powder processing of a rapidly quenched quaternary alloy, $\text{Ni}_{56.5}\text{Mo}_{23.5}\text{Fe}_{10}\text{B}_{10}$, 99
- mechanism of ribbon formation in single-roller quenching, L5
- precise relative quench rate determination in rapidly quenched Nd-Fe-B alloys, L9

Rapid solidification

- mechanical properties and microstructure of a rapidly solidified Al-3.99Cu-2.34Li-0.21Zr alloy, 193
- microstructure and mechanical properties of rapidly solidified deposited layers of Fe-C-Cr alloys produced by low pressure plasma spraying, 261

Reaction kinetics

- solid state reaction kinetics in the alumina-slag system, 141

Reinforcement

- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, 1

Ribbon formation

- mechanism of ribbon formation in single-roller quenching, L5

Rupture

- bending creep rupture analysis using a non-linear energy criterion approach, 13

Silicon

- characterization of refined metallurgical silicon with special reference to boron and carbon impurities, 75

Silver

- surface segregation effects on sputtering of Au-Ag alloy, 53

Slag

- solid state reaction kinetics in the alumina-slag system, 141

Sputtering

- effect of yttrium on the hot-corrosion resistance of sputtered Co-Cr-Al coatings, 123
- surface segregation effects on sputtering of Au-Ag alloy, 53

Strain

- comparison of the low-cycle fatigue properties of heavily cold-drawn copper and Cu-20%Nb, 69
- residual thermal stresses and strains in a WC-base cemented carbide composite, L1

Stress

- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites, 1
- residual thermal stresses and strains in a WC-base cemented carbide composite, L1

Surface energy

- adsorption, surface energy and the driving force for the migration of grain boundaries in substitutional alloys, 39

Surface segregation

- surface segregation effects on sputtering of Au-Ag alloy, 53

Texture

- effects of heat treatment on microstructure and texture in Ti-24at.%Al-11at.%Nb, 81

Thermal behaviour

- Mössbauer study on the magnetic and thermal behaviour of the ferrite phase of cement clinker, 153

Thermal cycling

- effects of repeated thermal cyclings on the transformation behaviour, microstructure and mechanical properties in a cobalt-free tungsten-containing maraging steel (W-250), 255

Titanium

- effects of heat treatment on microstructure and texture in Ti-24at.%Al-11at.%Nb, 81
- processing and properties of titanium foils, 45

Transformation

- effects of repeated thermal cyclings on the transformation behaviour, microstructure and mechanical properties in a cobalt-free tungsten-containing maraging steel (W-250), 255

Transition metals

- electrical resistance of the group IV transition metal monocarbides and mononitrides in the 20-1000 °C temperature range, 129
- transition metal site distributions in binary aluminum-transition metal quasicrystals: Al-V and Al-Cr, 33

Tribology

- surface-analytical study of tribodeformed aluminum alloy 319-10 vol.% graphite particle composite, 213

Tungsten

- effects of repeated thermal cyclings on the transformation behaviour, microstructure and mechanical properties in a cobalt-free tungsten-containing maraging steel (W-250), 255
- residual thermal stresses and strains in a WC-base cemented carbide composite, L1

Vanadium

- transition metal site distributions in binary aluminum-transition metal quasicrystals: Al-V and Al-Cr, 33

Viscous flow

- viscous flow of Fe₈₂B₁₈ amorphous alloy under continuous heating conditions, 59

Y-PSZ

- polymorphic transformation of t' phase in yttria partially stabilized zirconia, 145

Yttria

- polymorphic transformation of t' phase in yttria partially stabilized zirconia, 145

Yttrium

- aluminized coating and Al-Y and Al-Ce codeposited coatings obtained by metallizing from molten salt films, 159
- effect of yttrium on the hot-corrosion resistance of sputtered Co-Cr-Al coatings, 123

Zirconia

- polymorphic transformation of t' phase in yttria partially stabilized zirconia, 145

Zirconium

- mechanical properties and microstructure of a rapidly solidified Al-3.99Cu-2.34Li-0.21Zr alloy, 193

